

---

**SDET8-0600**

---



Light Output Ratio:	100.0%
Luminaire Power:	10.2 W

---

C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature: 25DEG  
Operators: Mei Yuanping  
Test Date: 2013-12-4

$\gamma$  Range: 0 - 90DEG  
Test System: EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity: 90.0%

## LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:


MODEL:	SDET8-0600
NORMALPOWER(W):	10.2W
RATED VOLTAGE(V)	230v
NORMALFLUX(lm):	928LM
LAMPS INSIDE	1PC
TESTVOLTAGE:	230.01V
IMAX(cd):	313
BEAMANGLE:	116DEG
EFFENCY:	91.0lm/W

C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature:25DEG  
Operators:Mei Yuanping  
Test Date:2013-12-4

$\gamma$  Range: 0 - 90DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity:90.0%

## LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature: 25DEG  
Operators: Mei Yuanping  
Test Date: 2013-12-4

γ Range: 0 - 90DEG  
Test System: EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity: 90.0%

## LDC(Linear)

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature: 25DEG  
Operators: Mei Yuanping  
Test Date: 2013-12-4

γ Range: 0 - 90DEG  
Test System: EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity: 90.0%

## LDC(Linear)

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature: 25DEG  
Operators: Mei Yuanping  
Test Date: 2013-12-4

γ Range: 0 - 90DEG  
Test System: EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity: 90.0%

## Luminance Diagram

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:



C Range: 0 - 180DEG  
Test Speed: MEDIUM  
Temperature: 25DEG  
Operators: Mei Yuanping  
Test Date: 2013-12-4

$\gamma$  Range: 0 - 90DEG  
Test System: EVERFINE GO-2000B\_V1 SYSTEM V2.0.279  
Humidity: 90.0%