

SDET8-1200



Light Output Ratio:	100.0%
Luminaire Power:	17.8 W

C Range: 0 - 180DEG
Test Speed: MEDIUM
Temperature: 25DEG
Operators: Mei Yuanping
Test Date: 2013-12-4

γ Range: 0 - 90DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.279
Humidity: 90.0%

LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:


MODEL:	SDET8-1200
NORMALPOWER(W):	17.8W
RATED VOLTAGE(V)	230v
NORMALFLUX(lm):	1705LM
LAMPS INSIDE	1PC
TESTVOLTAGE:	229.91V
IMAX(cd):	233.2
BEAMANGLE:	125DEG
EFFENCY:	95.8lm/W

C Range: 0 - 180DEG
Test Speed: MEDIUM
Temperature:25DEG
Operators:Mei Yuanping
Test Date:2013-12-4

γ Range: 0 - 90DEG
Test System:EVERFINE GO-2000B_V1 SYSTEM V2.0.279
Humidity:90.0%

LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG
Test Speed: MEDIUM
Temperature: 25DEG
Operators: Mei Yuanping
Test Date: 2013-12-4

γ Range: 0 - 90DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.279
Humidity: 90.0%

LDC(Linear)

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG
Test Speed: MEDIUM
Temperature: 25DEG
Operators: Mei Yuanping
Test Date: 2013-12-4

γ Range: 0 - 90DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.279
Humidity: 90.0%

LDC(Linear)

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:




C Range: 0 - 180DEG
 Test Speed: MEDIUM
 Temperature: 25DEG
 Operators: Mei Yuanping
 Test Date: 2013-12-4

γ Range: 0 - 90DEG
 Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.279
 Humidity: 90.0%

Luminance Diagram

NAME: LED Tube Light	TYPE:	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: Sedna LED Ltd	SUR.:	PROTECTION ANGLE:



C Range: 0 - 180DEG
Test Speed: MEDIUM
Temperature: 25DEG
Operators: Mei Yuanping
Test Date: 2013-12-4

γ Range: 0 - 90DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.279
Humidity: 90.0%